

DFE, DFES, and DFE+AP Crossovers

Charlie Laub – May 2024

Nomenclature: Due to the large palette of DFE crossovers a nomenclature has been created to help identify the salient features within the filter name itself, using the following form:

[ORDER][TYPE]_[STOPBAND_FREQUENCY]_A[STOPBAND_DEPTH]_P[PHASE_ANGLE_AT_Fc]

ORDER is the order of the highpass and lowpass filters used to construct the crossover.


TYPE can consist of Derived from Elliptic (DFE), DFE Squared (DFES), and All-Pole plus DFE (AP-DFE).

STOPBAND_FREQUENCY is the frequency at which the stopband region begins, F_{stop} , normalized by F_c , for the lowpass filter

STOPBAND_DEPTH is the attenuation below which the response remains in the stopband

PHASE_ANGLE_AT_Fc is the relative phase angle between lowpass and highpass crossover filters at the crossover frequency.

The stopband depth and stopband frequency are illustrated in the figure below for a lowpass filter.



DFE filters make extensive use of second order highpass and lowpass notch filters. The continuous-time notch filter transfer function takes the following form:

$$H(s) = H_0 \cdot \frac{s^2 + \omega_z^2}{s^2 + \frac{\omega_p}{Q} s + \omega_p^2}$$

The symbol ω refers to the frequency in radians, where $\omega = 2\pi F$ and F is the frequency in Hertz. Note that the pole and zero frequencies, ω_p and ω_z , may take on different values. When $\omega_p < \omega_z$ the response shape is termed a lowpass notch (LPN). When $\omega_p > \omega_z$, the response shape is termed a highpass notch (HPN). H_0 sets the gain at high frequencies.

Each crossover found in this document can be implemented using the filters listed in its filter table. An example of a filter table is shown below:

Filters:	LP	LPN	LPN	HP(+)	HPN	HPN
gain [dB]:	0.000	-5.710	-14.931		0.000	0.000
Fp/Fc:	0.7709	1.1340	0.9986		1.2973	0.8819
Qp:		1.262	1.501			1.262
Fz/Fc:		1.5752	2.3586			0.6348
						0.4240

The Nth order crossovers described herein are formed from Nth order lowpass and Nth order highpass responses, each expressed as a set of first and second order filters, and there is one filter per column in the table. The column header describes the type of filter, where:

LPN indicates a second order lowpass notch filter

HPN indicates a second order highpass notch filter

LP indicates a first order lowpass filter

HP indicates a first order highpass filter

LP2 indicates a second order lowpass filter.

HP2 indicates a second order highpass filter.

The example table above is for a 5th order crossover with the lowpass or highpass sections consisting of a first order LP or HP filter plus two second order notch filters LPN or HPN.

The filter tables show the pole and zero frequencies F_p and F_z normalized by the crossover frequency F_c. Multiply the values shown by the desired crossover frequency F_c in Hertz to obtain the corresponding F_p and F_z frequencies.

The overall polarity of the set of highpass filters is indicated by adding (+) for normal polarity or (-) for reversed polarity next to the first filter in the set. This polarity must be obeyed in order to ensure that highpass and lowpass responses sum to the proper level, e.g. 0dB. The set of lowpass filters always uses normal polarity overall.

Filter gain for each lowpass notch filter is shown in the table and corresponds to the factor H₀ of the continuous-time (analog domain) transfer function. These gains are needed to make the passband gain of the lowpass notch filter equal to 0dB. The gain for highpass notch filters is always 0dB. Note that when implementing the notch as an IIR digital filter, the LPN gain correction must be calculated using pre-warped frequencies and will be different from that shown in the tables, depending on the values of F_p, F_z, and F_s. The IIR gain correction is:

$$40 \log_{10}(\tan(\pi F_p/F_s) / \tan(\pi F_z/F_s))$$

where F_s is the sampling rate. The author is indebted to Dr. Ulrich Brüggemann for his advice regarding this formula.

NOTES:

Units and Labels: The x-axis in all plots is the frequency in Hertz. The y-axis of the crossover sum and lowpass response plots is in Decibels. The y-axis for the phase plot is Degrees. The y-axis for group delay plots is in seconds. 1 millisecond = 0.001 seconds.

The corner or crossover frequency in all plots is 1k Hz.

The group delay for a variety of Butterworth and Linkwitz-Riley crossovers is provided at the end of the document. These may be used as a basis for comparison against the group delay of DFE crossovers.

Contents

Crossover 3DFE_2.02_A30_P90:	5
Crossover 4DFE_1.51_A36_P53:	7
Crossover 4DFE_1.75_A44_P67:	9
Crossover 4DFE_2.00_A48_P55:	11
Crossover 5DFE_1.52_A39_P70:	13
Crossover 5DFE_1.50_A48_P0:	15
Crossover 5DFE_1.75_A45_P66:	17
Crossover 5DFE_2.00_A62_P2:	19
Crossover 6DFE_1.25_A40_P22:	21
Crossover 6DFE_1.25_A44_P90:	23
Crossover 6DFE_1.35_A47_P45:	25
Crossover 6DFE_1.50_A52_P0:	27
Crossover 6DFE_1.50_A58_P90:	29
Crossover 6DFE_1.51_A55_P44:	31
Crossover 6DFE_1.64_A55_P1:	33
Crossover 6DFE_1.75_A63_P28:	35
Crossover 6DFE_1.75_A66_P90:	37
Crossover 6DFE_2.00_A72_P29:	39
Crossover 7DFE_1.24_A45_P81:	41
Crossover 7DFE_1.35_A52_P86:	43
Crossover 7DFE_1.50_A68_P55:	45
Crossover 7DFE_1.58_A63_P77:	47
Crossover 8DFE_1.22_A50_P70:	49
Crossover 8DFE_1.38_A71_P84:	51
Crossover 8DFE_1.55_A75_P1:	53
Crossover 6DFES_1.47_A43_P0:	55
Crossover 8DFES_1.33_A46_P66:	57
Crossover 8DFES_1.49_A68_P52:	59
Crossover 8DFES_1.73_A75_P6:	61
Crossover AP2_2DFE_1.82_A38_P15:	63
Crossover AP2_2DFE_2.00_A39_P0:	65
Crossover AP2_4DFE_1.36_A43_P36:	67

Crossover AP2_4DFE_1.50_A51_P44:	69
Crossover AP3_2DFE_1.41_A32_P90:	71
Crossover AP3_4DFE_1.41_A46_P83:	73
Crossover AP3_4DFE_1.61_A58_P84:	75
Crossover AP4_4DFE_1.26_A48_P72:	77
Crossover AP4_4DFE_1.31_A55_P63:	79
Crossover AP4_4DFE_1.59_A66_P9:	81
Group Delay Response for Butterworth and Linkwitz-Riley Crossovers of Order 4 through 8:	83


Crossover 3DFE_2.02_A30_P90:

Filters used to construct the 3DFE_2.02_A30_P90 Crossover:


Filters:	LP	LPN		HP(-)	HPN	
gain [dB]:	0.000	-14.551		0.000	0.000	
Fp/Fc:	1.0040	1.0000		0.9960	1.0000	
Qp:		1.226			1.226	
Fz/Fc:		2.3109			0.4327	

Response Plots for the Crossover may be found below.


3DFE_2.02_A30_P90 : Sum of HP and LP filters




3DFE_2.02_A30_P90 : Lowpass Response



3DFE_2.02_A30_P90 : Relative Phase Angle in Degrees



3DFE_2.02_A30_P90 : Group Delay for Fc = 1k Hz




Crossover 4DFE_1.51_A36_P53:

Filters used to construct the 4DFE_1.51_A36_P53 Crossover:


Filters:	LPN	LPN	HPN(+)	HPN		
gain [dB]:	-8.631	-26.714		0.000	0.000	
Fp/Fc:	0.9789	0.7581		1.0216	1.3191	
Qp:	2.087	0.703		2.087	0.703	
Fz/Fc:	1.6089	3.5284		0.6216	0.2834	

Response Plots for the Crossover may be found below.


4DFE_1.51_A36_P53 : Sum of HP and LP filters




4DFE_1.51_A36_P53 : Lowpass Response



4DFE_1.51_A36_P53 : Relative Phase Angle in Degrees



4DFE_1.51_A36_P53 : Group Delay for Fc = 1k Hz




Crossover 4DFE_1.75_A44_P67:

Filters used to construct the 4DFE_1.75_A44_P67 Crossover:


Filters:	LPN				HPN(+)				HPN			
	LPN	LPN	LPN	LPN	HPN(+)	HPN	HPN	HPN	HPN	HPN	HPN	HPN
gain [dB]:	-11.356	-30.773			0.000	0.000						
Fp/Fc:	0.9799	0.6834			1.0205	1.4632						
Qp:	2.218	0.696			2.218	0.696						
Fz/Fc:	1.8840	4.0181			0.5308	0.2489						

Response Plots for the Crossover may be found below.


4DFE_1.75_A44_P67 : Sum of HP and LP filters




4DFE_1.75_A44_P67 : Lowpass Response



4DFE_1.75_A44_P67 : Relative Phase Angle in Degrees



4DFE_1.75_A44_P67 : Group Delay for Fc = 1k Hz




Crossover 4DFE_2.00_A48_P55:

Filters used to construct the 4DFE_2.00_A48_P55 Crossover:


Filters:	LPN	LPN		HPN(+)	HPN		
gain [dB]:	-13.707	-31.900		0.000	0.000		
Fp/Fc:	0.9766	0.7300		1.0240	1.3698		
Qp:	1.773	0.656		1.773	0.656		
Fz/Fc:	2.1498	4.5795		0.4652	0.2184		

Response Plots for the Crossover may be found below.


4DFE_2.00_A48_P55 : Sum of HP and LP filters




4DFE_2.00_A48_P55 : Lowpass Response



4DFE_2.00_A48_P55 : Relative Phase Angle in Degrees



4DFE_2.00_A48_P55 : Group Delay for Fc = 1k Hz




Crossover 5DFE_1.52_A39_P70:

Filters used to construct the 5DFE_1.52_A39_P70 Crossover:


Filters:	LP	LPN	LPN	HP(+)	HPN	HPN	
gain [dB]:	0.000	-5.710	-14.931		0.000	0.000	0.000
Fp/Fc:	0.7709	1.1340	0.9986		1.2973	0.8819	1.0014
Qp:		1.262	1.501			1.262	1.501
Fz/Fc:		1.5752	2.3586			0.6348	0.4240

Response Plots for the Crossover may be found below.


5DFE_1.52_A39_P70 : Sum of HP and LP filters




5DFE_1.52_A39_P70 : Lowpass Response



5DFE_1.52_A39_P70 : Relative Phase Angle in Degrees



5DFE_1.52_A39_P70 : Group Delay for Fc = 1k Hz




Crossover 5DFE_1.50_A48_P0:

Filters used to construct the 5DFE_1.50_A48_P0 Crossover:


Filters:	LP	LPN	LPN	HP(-)	HPN	HPN	
gain [dB]:	0.000	-8.363	-18.642		0.000	0.000	0.000
Fp/Fc:	0.5949	0.9705	0.8253		1.6810	1.0304	1.2116
Qp:		2.613	1.025			2.613	1.025
Fz/Fc:		1.5705	2.4136			0.6367	0.4143

Response Plots for the Crossover may be found below.


5DFE_1.50_A48_P0 : Sum of HP and LP filters




5DFE_1.50_A48_P0 : Lowpass Response



5DFE_1.50_A48_P0 : Relative Phase Angle in Degrees



5DFE_1.50_A48_P0 : Group Delay for Fc = 1k Hz




Crossover 5DFE_1.75_A45_P66:

Filters used to construct the 5DFE_1.75_A45_P66 Crossover:


Filters:	LP	LPN	LPN	HP(+)	HPN	HPN	
gain [dB]:	0.000	-6.920	-18.083		0.000	0.000	0.000
Fp/Fc:	0.7953	1.2293	0.9680		1.2573	0.8135	1.0330
Qp:		1.055	1.371			1.055	1.371
Fz/Fc:		1.8309	2.7413			0.5462	0.3648

Response Plots for the Crossover may be found below.


5DFE_1.75_A45_P66 : Sum of HP and LP filters




5DFE_1.75_A45_P66 : Lowpass Response



5DFE_1.75_A45_P66 : Relative Phase Angle in Degrees



5DFE_1.75_A45_P66 : Group Delay for Fc = 1k Hz




Crossover 5DFE_2.00_A62_P2:

Filters used to construct the 5DFE_2.00_A62_P2 Crossover:


Filters:	LP	LPN	LPN	HP(-)	HPN	HPN	
gain [dB]:	0.000	-13.459	-24.669		0.000	0.000	0.000
Fp/Fc:	0.5934	0.9675	0.8049		1.6851	1.0336	1.2424
Qp:		2.111	0.917			2.111	0.917
Fz/Fc:		2.0995	3.3301			0.4763	0.3003

Response Plots for the Crossover may be found below.


5DFE_2.00_A62_P2 : Sum of HP and LP filters




5DFE_2.00_A62_P2 : Lowpass Response



5DFE_2.00_A62_P2 : Relative Phase Angle in Degrees



5DFE_2.00_A62_P2 : Group Delay for Fc = 1k Hz




Crossover 6DFE_1.25_A40_P22:

Filters used to construct the 6DFE_1.25_A40_P22 Crossover:


Filters:	LP	LPN	LPN	HP(-)	HPN	HPN	
gain [dB]:	0.000	-12.444	-25.296		0.000	0.000	0.000
Fp/Fc:	0.4901	1.0256	0.7634		2.0406	0.9750	1.3099
Qp:		2.151	1.155			2.151	1.155
Fz/Fc:		2.0993	3.2747			0.4763	0.3054

Response Plots for the Crossover may be found below.


6DFE_1.25_A40_P22 : Sum of HP and LP filters




6DFE_1.25_A40_P22 : Lowpass Response



6DFE_1.25_A40_P22 : Relative Phase Angle in Degrees



6DFE_1.25_A40_P22 : Group Delay for Fc = 1k Hz




Crossover 6DFE_1.25_A44_P90:

Filters used to construct the 6DFE_1.25_A44_P90 Crossover:


Filters:	LPN	LPN	LPN	HPN(-)	HPN	HPN	
gain [dB]:	-4.333	-10.998	-31.499		0.000	0.000	0.000
Fp/Fc:	0.9998	0.8911	0.6846		1.0002	1.1223	1.4608
Qp:	5.931	1.626	0.588		5.931	1.626	0.588
Fz/Fc:	1.2831	1.6782	4.1966		0.7794	0.5959	0.2383

Response Plots for the Crossover may be found below.


6DFE_1.25_A44_P90 : Sum of HP and LP filters




6DFE_1.25_A44_P90 : Lowpass Response



6DFE_1.25_A44_P90 : Relative Phase Angle in Degrees



6DFE_1.25_A44_P90 : Group Delay for Fc = 1k Hz




Crossover 6DFE_1.35_A47_P45:

Filters used to construct the 6DFE_1.35_A47_P45 Crossover:


Filters:	LPN	LPN	LPN	HPN(-)	HPN	HPN	
gain [dB]:	-5.484	-10.823	-35.105		0.000	0.000	0.000
Fp/Fc:	1.0133	0.9660	0.7348		0.9868	1.0352	1.3610
Qp:	2.622	1.644	0.582		2.622	1.644	0.582
Fz/Fc:	1.3895	1.8012	5.5433		0.7197	0.5552	0.1804

Response Plots for the Crossover may be found below.

6DFE_1.35_A47_P45 : Sum of HP and LP filters




6DFE_1.35_A47_P45 : Lowpass Response



6DFE_1.35_A47_P45 : Relative Phase Angle in Degrees



6DFE_1.35_A47_P45 : Group Delay for Fc = 1k Hz




Crossover 6DFE_1.50_A52_P0:

Filters used to construct the 6DFE_1.50_A52_P0 Crossover:


Filters:	LPN	LPN	LPN	HPN(-)	HPN	HPN	
gain [dB]:	-6.207	-13.360	-26.432		0.000	0.000	0.000
Fp/Fc:	1.0942	0.9333	0.9320		0.9140	1.0715	1.0730
Qp:	1.624	1.556	0.516		1.624	1.556	0.516
Fz/Fc:	1.5641	2.0137	4.2678		0.6393	0.4966	0.2343

Response Plots for the Crossover may be found below.


6DFE_1.50_A52_P0 : Sum of HP and LP filters




6DFE_1.50_A52_P0 : Lowpass Response



6DFE_1.50_A52_P0 : Relative Phase Angle in Degrees



6DFE_1.50_A52_P0 : Group Delay for Fc = 1k Hz




Crossover 6DFE_1.50_A58_P90:

Filters used to construct the 6DFE_1.50_A58_P90 Crossover:


Filters:	LPN	LPN	LPN	HPN(-)	HPN	HPN	
gain [dB]:	-7.607	-14.520	-34.872		0.000	0.000	0.000
Fp/Fc:	0.9994	0.8740	0.6695		1.0006	1.1442	1.4937
Qp:	4.486	1.315	0.575		4.486	1.315	0.575
Fz/Fc:	1.5485	2.0160	4.9835		0.6458	0.4960	0.2007

Response Plots for the Crossover may be found below.


6DFE_1.50_A58_P90 : Sum of HP and LP filters




6DFE_1.50_A58_P90 : Lowpass Response



6DFE_1.50_A58_P90 : Relative Phase Angle in Degrees



6DFE_1.50_A58_P90 : Group Delay for Fc = 1k Hz




Crossover 6DFE_1.51_A55_P44:

Filters used to construct the 6DFE_1.51_A55_P44 Crossover:


Filters:	LPN	LPN	LPN	HPN(-)	HPN	HPN	
gain [dB]:	-6.344	-13.175	-35.168		0.000	0.000	0.000
Fp/Fc:	1.0759	0.9348	0.6759		0.9295	1.0697	1.4794
Qp:	2.091	1.788	0.593		2.091	1.788	0.593
Fz/Fc:	1.5501	1.9957	5.1180		0.6451	0.5011	0.1954

Response Plots for the Crossover may be found below.


6DFE_1.51_A55_P44 : Sum of HP and LP filters




6DFE_1.51_A55_P44 : Lowpass Response



6DFE_1.51_A55_P44 : Relative Phase Angle in Degrees



6DFE_1.51_A55_P44 : Group Delay for Fc = 1k Hz




Crossover 6DFE_1.64_A55_P1:

Filters used to construct the 6DFE_1.64_A55_P1 Crossover:


Filters:	LPN	LPN	LPN	HPN(-)	HPN	HPN	
gain [dB]:	-10.308	-14.400	-30.293		0.000	0.000	0.000
Fp/Fc:	0.9398	1.0144	1.1101		1.0641	0.9858	0.9008
Qp:	1.204	1.675	0.456		1.204	1.675	0.456
Fz/Fc:	1.7011	2.3238	6.3487		0.5878	0.4303	0.1575

Response Plots for the Crossover may be found below.


6DFE_1.64_A55_P1 : Sum of HP and LP filters




6DFE_1.64_A55_P1 : Lowpass Response



6DFE_1.64_A55_P1 : Relative Phase Angle in Degrees



6DFE_1.64_A55_P1 : Group Delay for Fc = 1k Hz




Crossover 6DFE_1.75_A63_P28:

Filters used to construct the 6DFE_1.75_A63_P28 Crossover:


Filters:	LPN	LPN	LPN	HPN(-)	HPN	HPN	
gain [dB]:	-7.367	-17.356	-40.025		0.000	0.000	0.000
Fp/Fc:	1.1799	0.8741	0.6663		0.8475	1.1440	1.5008
Qp:	2.136	1.618	0.580		2.136	1.618	0.580
Fz/Fc:	1.8031	2.3740	6.6726		0.5546	0.4212	0.1499

Response Plots for the Crossover may be found below.

6DFE_1.75_A63_P28 : Sum of HP and LP filters




6DFE_1.75_A63_P28 : Lowpass Response



6DFE_1.75_A63_P28 : Relative Phase Angle in Degrees



6DFE_1.75_A63_P28 : Group Delay for Fc = 1k Hz




Crossover 6DFE_1.75_A66_P90:

Filters used to construct the 6DFE_1.75_A66_P90 Crossover:


Filters:	LPN	LPN	LPN	HPN(-)	HPN	HPN	
gain [dB]:	-10.370	-18.073	-44.466		0.000	0.000	0.000
Fp/Fc:	0.9986	0.8675	0.6601		1.0014	1.1527	1.5149
Qp:	3.800	1.176	0.568		3.800	1.176	0.568
Fz/Fc:	1.8140	2.4553	8.5360		0.5513	0.4073	0.1172

Response Plots for the Crossover may be found below.


6DFE_1.75_A66_P90 : Sum of HP and LP filters




6DFE_1.75_A66_P90 : Lowpass Response



6DFE_1.75_A66_P90 : Relative Phase Angle in Degrees



6DFE_1.75_A66_P90 : Group Delay for Fc = 1k Hz




Crossover 6DFE_2.00_A72_P29:

Filters used to construct the 6DFE_2.00_A72_P29 Crossover:


Filters:	LPN	LPN	LPN	HPN(-)	HPN	HPN	
gain [dB]:	-9.525	-19.755	-38.550		0.000	0.000	0.000
Fp/Fc:	1.1931	0.8644	0.6600		0.8382	1.1568	1.5152
Qp:	2.031	1.524	0.574		2.031	1.524	0.574
Fz/Fc:	2.0644	2.6953	6.0714		0.4844	0.3710	0.1647

Response Plots for the Crossover may be found below.


6DFE_2.00_A72_P29 : Sum of HP and LP filters




6DFE_2.00_A72_P29 : Lowpass Response



6DFE_2.00_A72_P29 : Relative Phase Angle in Degrees



6DFE_2.00_A72_P29 : Group Delay for Fc = 1k Hz




Crossover 7DFE_1.24_A45_P81:

Filters used to construct the 7DFE_1.24_A45_P81 Crossover:


Filters:	LP	LPN	LPN	LPN	HP(-)	HPN	HPN	HPN
gain [dB]:	0.000	-2.623	-7.083	-17.874	0.000	0.000	0.000	0.000
Fp/Fc:	0.8360	1.0925	0.9988	0.9173	1.1962	0.9153	1.0012	1.0902
Qp:		1.826	4.197	0.789		1.826	4.197	0.789
Fz/Fc:		1.2705	1.5015	2.5666		0.7871	0.6660	0.3896

Response Plots for the Crossover may be found below.


7DFE_1.24_A45_P81 : Sum of HP and LP filters




7DFE_1.24_A45_P81 : Lowpass Response



7DFE_1.24_A45_P81 : Relative Phase Angle in Degrees



7DFE_1.24_A45_P81 : Group Delay for Fc = 1k Hz




Crossover 7DFE_1.35_A52_P86:

Filters used to construct the 7DFE_1.35_A52_P86 Crossover:


Filters:	LP	LPN	LPN	LPN	HP(-)	HPN	HPN	HPN
gain [dB]:	0.000	-4.806	-8.871	-18.330	0.000	0.000	0.000	0.000
Fp/Fc:	0.8443	1.0491	1.0000	0.9925	1.1844	0.9532	1.0000	1.0076
Qp:		1.322	4.018	0.717		1.322	4.018	0.717
Fz/Fc:		1.3835	1.6664	2.8509		0.7228	0.6001	0.3508

Response Plots for the Crossover may be found below.


7DFE_1.35_A52_P86 : Sum of HP and LP filters




7DFE_1.35_A52_P86 : Lowpass Response



7DFE_1.35_A52_P86 : Relative Phase Angle in Degrees



7DFE_1.35_A52_P86 : Group Delay for Fc = 1k Hz




Crossover 7DFE_1.50_A68_P55:

Filters used to construct the 7DFE_1.50_A68_P55 Crossover:


Filters:	LP	LPN	LPN	LPN	HP(+)	HPN	HPN	HPN
gain [dB]:	0.000	-7.567	-13.373	-33.701	0.000	0.000	0.000	0.000
Fp/Fc:	0.5213	0.9967	0.8951	0.6832	1.9183	1.0033	1.1172	1.4638
Qp:		4.391	1.812	0.781		4.391	1.812	0.781
Fz/Fc:		1.5407	1.9328	4.7540		0.6490	0.5174	0.2103

Response Plots for the Crossover may be found below.


7DFE_1.50_A68_P55 : Sum of HP and LP filters




7DFE_1.50_A68_P55 : Lowpass Response



7DFE_1.50_A68_P55 : Relative Phase Angle in Degrees



7DFE_1.50_A68_P55 : Group Delay for Fc = 1k Hz




Crossover 7DFE_1.58_A63_P77:

Filters used to construct the 7DFE_1.58_A63_P77 Crossover:


Filters:	LP	LPN	LPN	LPN	HP(-)	HPN	HPN	HPN
gain [dB]:	0.000	-6.534	-12.162	-24.574	0.000	0.000	0.000	0.000
Fp/Fc:	1.0927	1.1169	0.9884	0.8323	0.9151	0.8954	1.0118	1.2015
Qp:		1.662	2.332	0.623		1.662	2.332	0.623
Fz/Fc:		1.6269	1.9906	3.4249		0.6147	0.5024	0.2920

Response Plots for the Crossover may be found below.


7DFE_1.58_A63_P77 : Sum of HP and LP filters




7DFE_1.58_A63_P77 : Lowpass Response



7DFE_1.58_A63_P77 : Relative Phase Angle in Degrees



7DFE_1.58_A63_P77 : Group Delay for Fc = 1k Hz




Crossover 8DFE_1.22_A50_P70:

Filters used to construct the 8DFE_1.22_A50_P70 Crossover:


Filters:	LPN	LPN	LPN	LPN	HPN(+)	HPN	HPN	HPN
gain [dB]:	-2.855	-8.053	-16.726	-36.027	0.000	0.000	0.000	0.000
Fp/Fc:	1.0606	0.9808	0.8271	0.6476	0.9429	1.0195	1.2091	1.5442
Qp:	3.713	3.894	1.126	0.557	3.713	3.894	1.126	0.557
Fz/Fc:	1.2500	1.5593	2.1662	5.1522	0.8000	0.6413	0.4616	0.1941

Response Plots for the Crossover may be found below.


8DFE_1.22_A50_P70 : Sum of HP and LP filters




8DFE_1.22_A50_P70 : Lowpass Response



8DFE_1.22_A50_P70 : Relative Phase Angle in Degrees



8DFE_1.22_A50_P70 : Group Delay for Fc = 1k Hz




Crossover 8DFE_1.38_A71_P84:

Filters used to construct the 8DFE_1.38_A71_P84 Crossover:


Filters:	LPN	LPN	LPN	LPN	HPN(+)	HPN	HPN	HPN
gain [dB]:	-4.761	-8.106	-17.560	-37.083	0.000	0.000	0.000	0.000
Fp/Fc:	1.0676	0.9779	0.7883	0.6094	0.9366	1.0226	1.2685	1.6409
Qp:	3.741	3.823	1.140	0.552	3.741	3.823	1.140	0.552
Fz/Fc:	1.4042	1.5593	2.1662	5.1522	0.7121	0.6413	0.4616	0.1941

Response Plots for the Crossover may be found below.


8DFE_1.38_A71_P84 : Sum of HP and LP filters




8DFE_1.38_A71_P84 : Lowpass Response



8DFE_1.38_A71_P84 : Relative Phase Angle in Degrees



8DFE_1.38_A71_P84 : Group Delay for Fc = 1k Hz




Crossover 8DFE_1.55_A75_P1:

Filters used to construct the 8DFE_1.55_A75_P1 Crossover:


Filters:	LPN	LPN	LPN	LPN	HPN(+)	HPN	HPN	HPN
gain [dB]:	-3.938	-9.767	-17.267	-39.468	0.000	0.000	0.000	0.000
Fp/Fc:	1.2521	1.0114	0.9068	0.5825	0.7987	0.9887	1.1028	1.7167
Qp:	2.433	1.887	1.564	0.588	2.433	1.887	1.564	0.588
Fz/Fc:	1.5706	1.7746	2.4501	5.6495	0.6367	0.5635	0.4081	0.1770

Response Plots for the Crossover may be found below.


8DFE_1.55_A75_P1 : Sum of HP and LP filters




8DFE_1.55_A75_P1 : Lowpass Response



8DFE_1.55_A75_P1 : Relative Phase Angle in Degrees



8DFE_1.55_A75_P1 : Group Delay for Fc = 1k Hz




Crossover 6DFES_1.47_A43_P0:

Filters used to construct the 6DFES_1.47_A43_P0 Crossover:


Filters:	LP	LPN	LP	LPN	HP(-)	HPN	HP	HPN
gain [dB]:	0.000	-8.962	0.000	-8.962	0.000	0.000	0.000	0.000
Fp/Fc:	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Qp:		1.554		1.554		1.554		1.554
Fz/Fc:		1.6751		1.6751		0.5970		0.5970

Response Plots for the Crossover may be found below.


6DFES_1.47_A43_P0 : Sum of HP and LP filters




6DFES_1.47_A43_P0 : Lowpass Response



6DFES_1.47_A43_P0 : Relative Phase Angle in Degrees



6DFES_1.47_A43_P0 : Group Delay for Fc = 1k Hz




Crossover 8DFES_1.33_A46_P66:

Filters used to construct the 8DFES_1.33_A46_P66 Crossover:


Filters:	LPN	LPN	LPN	LPN	HPN(-)	HPN	HPN	HPN
gain [dB]:	1.018	-18.817	1.018	-18.817	0.000	0.000	0.000	0.000
Fp/Fc:	1.5107	1.0188	1.5107	1.0188	0.6620	0.9815	0.6620	0.9815
Qp:	0.511	2.362	0.511	2.362	0.511	2.362	0.511	2.362
Fz/Fc:	1.4247	3.0097	1.4247	3.0097	0.7019	0.3323	0.7019	0.3323

Response Plots for the Crossover may be found below.


8DFES_1.33_A46_P66 : Sum of HP and LP filters




8DFES_1.33_A46_P66 : Lowpass Response



8DFES_1.33_A46_P66 : Relative Phase Angle in Degrees



8DFES_1.33_A46_P66 : Group Delay for Fc = 1k Hz




Crossover 8DFES_1.49_A68_P52:

Filters used to construct the 8DFES_1.49_A68_P52 Crossover:


Filters:	LPN	LPN	LPN	LPN	HPN(+)	HPN	HPN	HPN
gain [dB]:	-11.463	-21.584	-11.463	-21.584	0.000	0.000	0.000	0.000
Fp/Fc:	0.8231	1.0041	0.8231	1.0041	1.2149	0.9959	1.2149	0.9959
Qp:	0.647	2.578	0.647	2.578	0.647	2.578	0.647	2.578
Fz/Fc:	1.5923	3.4784	1.5923	3.4784	0.6280	0.2875	0.6280	0.2875

Response Plots for the Crossover may be found below.


8DFES_1.49_A68_P52 : Sum of HP and LP filters




8DFES_1.49_A68_P52 : Lowpass Response



8DFES_1.49_A68_P52 : Relative Phase Angle in Degrees



8DFES_1.49_A68_P52 : Group Delay for Fc = 1k Hz




Crossover 8DFES_1.73_A75_P6:

Filters used to construct the 8DFES_1.73_A75_P6 Crossover:


Filters:	LPN	LPN	LPN	LPN	HPN(+)	HPN	HPN	HPN
gain [dB]:	-10.862	-25.402	-10.862	-25.402	0.000	0.000	0.000	0.000
Fp/Fc:	1.0000	0.9766	1.0000	0.9766	1.0000	1.0240	1.0000	1.0240
Qp:	1.846	0.582	1.846	0.582	1.846	0.582	1.846	0.582
Fz/Fc:	1.8687	4.2144	1.8687	4.2144	0.5351	0.2373	0.5351	0.2373

Response Plots for the Crossover may be found below.


8DFES_1.73_A75_P6 : Sum of HP and LP filters




8DFES_1.73_A75_P6 : Lowpass Response



8DFES_1.73_A75_P6 : Relative Phase Angle in Degrees



8DFES_1.73_A75_P6 : Group Delay for Fc = 1k Hz




Crossover AP2_2DFE_1.82_A38_P15:

Filters used to construct the AP2_2DFE_1.82_A38_P15 Crossover:


Filters:	LPN	LP2		HPN(+)	HP2		
gain [dB]:	-10.954	0.000		0.000	0.000		
Fp/Fc:	1.0633	0.8200		0.9405	1.2195		
Qp:	1.139	0.717		1.139	0.717		
Fz/Fc:	1.9975			0.5006			

Response Plots for the Crossover may be found below.


AP2_2DFE_1.82_A38_P15 : Sum of HP and LP filters




AP2_2DFE_1.82_A38_P15 : Lowpass Response



AP2_2DFE_1.82_A38_P15 : Relative Phase Angle in Degrees



AP2_2DFE_1.82_A38_P15 : Group Delay for Fc = 1k Hz




Crossover AP2_2DFE_2.00_A39_P0:

Filters used to construct the AP2_2DFE_2.00_A39_P0 Crossover:


Filters:	LPN	LP2		HPN(+)	HP2		
gain [dB]:	-11.237	0.000		0.000	0.000		
Fp/Fc:	1.1609	0.9100		0.8614	1.0989		
Qp:	0.612	0.989		0.612	0.989		
Fz/Fc:	2.2167			0.4511			

Response Plots for the Crossover may be found below.


AP2_2DFE_2.00_A39_P0 : Sum of HP and LP filters




AP2_2DFE_2.00_A39_P0 : Lowpass Response



AP2_2DFE_2.00_A39_P0 : Relative Phase Angle in Degrees



AP2_2DFE_2.00_A39_P0 : Group Delay for Fc = 1k Hz




Crossover AP2_4DFE_1.36_A43_P36:

Filters used to construct the AP2_4DFE_1.36_A43_P36 Crossover:


Filters:	LPN	LPN	LP2	HPN(-)	HPN	HP2	
gain [dB]:	-11.348	-11.621	0.000		0.000	0.000	0.000
Fp/Fc:	0.7318	1.0484	0.9572		1.3665	0.9539	1.0447
Qp:	0.577	2.025	1.785		0.577	2.025	1.785
Fz/Fc:	1.4064	2.0466			0.7110	0.4886	

Response Plots for the Crossover may be found below.


AP2_4DFE_1.36_A43_P36 : Sum of HP and LP filters




AP2_4DFE_1.36_A43_P36 : Lowpass Response



AP2_4DFE_1.36_A43_P36 : Relative Phase Angle in Degrees



AP2_4DFE_1.36_A43_P36 : Group Delay for Fc = 1k Hz




Crossover AP2_4DFE_1.50_A51_P44:

Filters used to construct the AP2_4DFE_1.50_A51_P44 Crossover:


Filters:	LPN	LPN	LP2	HPN(-)	HPN	HP2	
gain [dB]:	-11.479	-14.518	0.000		0.000	0.000	0.000
Fp/Fc:	0.8006	0.9425	1.0000		1.2491	1.0610	1.0000
Qp:	0.547	1.210	2.441		0.547	1.210	2.441
Fz/Fc:	1.5502	2.1738			0.6451	0.4600	

Response Plots for the Crossover may be found below.


AP2_4DFE_1.50_A51_P44 : Sum of HP and LP filters




AP2_4DFE_1.50_A51_P44 : Lowpass Response



AP2_4DFE_1.50_A51_P44 : Relative Phase Angle in Degrees



AP2_4DFE_1.50_A51_P44 : Group Delay for Fc = 1k Hz




Crossover AP3_2DFE_1.41_A32_P90:

Filters used to construct the AP3_2DFE_1.41_A32_P90 Crossover:


Filters:	LPN	LP	LP2	HPN(+)	HP	HP2	
gain [dB]:	-7.194	0.000	0.000		0.000	0.000	0.000
Fp/Fc:	0.9995	0.9999	1.0000		1.0005	1.0001	1.0000
Qp:	0.713		2.495		0.713		2.495
Fz/Fc:	1.5122				0.6613		

Response Plots for the Crossover may be found below.


AP3_2DFE_1.41_A32_P90 : Sum of HP and LP filters




AP3_2DFE_1.41_A32_P90 : Lowpass Response



AP3_2DFE_1.41_A32_P90 : Relative Phase Angle in Degrees



AP3_2DFE_1.41_A32_P90 : Group Delay for Fc = 1k Hz




Crossover AP3_4DFE_1.41_A46_P83:

Filters used to construct the AP3_4DFE_1.41_A46_P83 Crossover:


Filters:	LPN	LPN	LP	LP2	HPN(-)	HPN	HP	HP2
gain [dB]:	-6.476	-13.198	0.000	0.000	0.000	0.000	0.000	0.000
Fp/Fc:	0.9999	0.9888	1.0158	1.0302	1.0001	1.0113	0.9844	0.9707
Qp:	3.280	0.613		1.125	3.280	0.613		1.125
Fz/Fc:	1.4516	2.1137			0.6889	0.4731		

Response Plots for the Crossover may be found below.


AP3_4DFE_1.41_A46_P83 : Sum of HP and LP filters




AP3_4DFE_1.41_A46_P83 : Lowpass Response



AP3_4DFE_1.41_A46_P83 : Relative Phase Angle in Degrees



AP3_4DFE_1.41_A46_P83 : Group Delay for Fc = 1k Hz




Crossover AP3_4DFE_1.61_A58_P84:

Filters used to construct the AP3_4DFE_1.61_A58_P84 Crossover:


Filters:	LPN	LPN	LP	LP2	HPN(-)	HPN	HP	HP2
gain [dB]:	-8.847	-14.831	0.000	0.000	0.000	0.000	0.000	0.000
Fp/Fc:	0.9993	0.9443	0.8969	1.0885	1.0007	1.0590	1.1149	0.9187
Qp:	2.808	0.642		1.091	2.808	0.642		1.091
Fz/Fc:	1.6630	2.2176			0.6013	0.4509		

Response Plots for the Crossover may be found below.


AP3_4DFE_1.61_A58_P84 : Sum of HP and LP filters




AP3_4DFE_1.61_A58_P84 : Lowpass Response



AP3_4DFE_1.61_A58_P84 : Relative Phase Angle in Degrees



AP3_4DFE_1.61_A58_P84 : Group Delay for Fc = 1k Hz




Crossover AP4_4DFE_1.26_A48_P72:

Filters used to construct the AP4_4DFE_1.26_A48_P72 Crossover:


Filters:	LPN	LPN	LP2	LP2	HPN(+)	HPN	HP2	HP2
gain [dB]:	-4.489	-12.456	0.000	0.000	0.000	0.000	0.000	0.000
Fp/Fc:	0.9993	0.8446	0.9357	0.8732	1.0007	1.1840	1.0687	1.1452
Qp:	5.167	0.722	1.810	0.528	5.167	0.722	1.810	0.528
Fz/Fc:	1.2939	1.7301			0.7728	0.5780		

Response Plots for the Crossover may be found below.


AP4_4DFE_1.26_A48_P72 : Sum of HP and LP filters




AP4_4DFE_1.26_A48_P72 : Lowpass Response



AP4_4DFE_1.26_A48_P72 : Relative Phase Angle in Degrees



AP4_4DFE_1.26_A48_P72 : Group Delay for Fc = 1k Hz




Crossover AP4_4DFE_1.31_A55_P63:

Filters used to construct the AP4_4DFE_1.31_A55_P63 Crossover:


Filters:	LPN	LPN	LP2	LP2	HPN(+)	HPN	HP2	HP2
gain [dB]:	-5.108	-17.051	0.000	0.000	0.000	0.000	0.000	0.000
Fp/Fc:	0.9988	0.5979	0.9879	1.0208	1.0012	1.6724	1.0123	0.9796
Qp:	4.130	0.591	1.315	1.337	4.130	0.591	1.315	1.337
Fz/Fc:	1.3402	1.5956			0.7461	0.6267		

Response Plots for the Crossover may be found below.


AP4_4DFE_1.31_A55_P63 : Sum of HP and LP filters




AP4_4DFE_1.31_A55_P63 : Lowpass Response



AP4_4DFE_1.31_A55_P63 : Relative Phase Angle in Degrees



AP4_4DFE_1.31_A55_P63 : Group Delay for Fc = 1k Hz




Crossover AP4_4DFE_1.59_A66_P9:

Filters used to construct the AP4_4DFE_1.59_A66_P9 Crossover:


Filters:	LPN	LPN	LP2	LP2	HPN(+)	HPN	HP2	HP2
gain [dB]:	-5.280	-20.479	0.000	0.000	0.000	0.000	0.000	0.000
Fp/Fc:	1.2002	0.6163	0.9543	1.0236	0.8332	1.6226	1.0479	0.9770
Qp:	1.657	0.572	1.700	1.264	1.657	0.572	1.700	1.264
Fz/Fc:	1.6265	2.0034			0.6148	0.4992		

Response Plots for the Crossover may be found below.


AP4_4DFE_1.59_A66_P9 : Sum of HP and LP filters



AP4_4DFE_1.59_A66_P9 : Lowpass Response



AP4_4DFE_1.59_A66_P9 : Relative Phase Angle in Degrees



AP4_4DFE_1.59_A66_P9 : Group Delay for Fc = 1k Hz



Group Delay Response for Butterworth and Linkwitz-Riley Crossovers of Order 4 through 8:

Group Delay Response for Fc = 1kHz:

